

**■ Carburettor screwdriver**

- Hanging hole in handle
- Ergonomic 2-component handle for highest torque and best comfort

**Suitable for:**

- Cross-slotted screws (Phillips)

**Characteristics**

- Anti-roll handle design
- Hard impact-resistant core
- Black tip for precision fit



Item	Part No.	Dimensions	Blade length mm	Weight g	pcs.
Carburettor screwdriver, cross-slotted	<b>KL11025PH1</b>	PH 1	25	35	1


**■ Screwdriver bit**

**Suitable for:**

- Slotted screws

**Characteristics**

- Shank 1/4" (6.3) DIN3126
- Dimensions 0.6 x 3.5 mm



Item	Part No.	Dimensions mm	Blade length mm	Weight g	Number Parts	Packing unit/ pcs
Bit for slotted screws	<b>KL2007335</b>	0,6x3,5	73	16	2	1
Bit for slotted screws	<b>KL2007340</b>	0,8x4,0	73	18	2	1
Bit for slotted screws	<b>KL2007355</b>	1,0x5,5	73	26	2	1
Bit for slotted screws	<b>KL2007365</b>	1,2x6,5	73	34	2	1


**■ Screwdriver bit**

**Suitable for:**

- Cross-slotted PZ-screws (Pozidriv) PZ 1 + PZ 2

**Characteristics**

- Shank 1/4" (6.3) DIN3126



Item	Part No.	Dimensions	Blade length mm	Weight g	Number Parts	Packing unit/ pcs
Bit for cross-slotted screws (Pozidriv)	<b>KL22073PZ1</b>	PZ 1	73	22	2	1
Bit for cross-slotted screws (Pozidriv)	<b>KL22073PZ2</b>	PZ 2	73	30	2	1



### ■ Screwdriver bit

**Suitable for:**

- Cross-slotted PH-screws (Phillips) PH 1 + PH 2

**Characteristics**

- Shank 1/4" (6.3) DIN3126

Item	Part No.	Dimensions	Blade length mm	Weight g	Number Parts	Packing unit/ pcs
Bit for cross-slotted screws (Phillips)	<b>KL21073PH1</b>	PH 1	73	22	2	1
Bit for cross-slotted screws (Phillips)	<b>KL21073PH2</b>	PH 2	73	30	2	1



### ■ Screwdriver bit


**Suitable for:**

- Torx screws

**Characteristics**

- Shank 1/4" (6.3) DIN3126

Item	Part No.	Dimensions	Blade length mm	Weight g	Number Parts	Packing unit/ pcs
Bit for Torx screws	<b>KL25073TX10</b>	TX 10	73	22	2	1
Bit for Torx screws	<b>KL25073TX15</b>	TX 15	73	22	2	1
Bit for Torx screws	<b>KL25073TX20</b>	TX 20	73	25	2	1
Bit for Torx screws	<b>KL25073TX25</b>	TX 25	73	25	2	1
Bit for Torx screws	<b>KL25073TX27</b>	TX 27	73	25	2	1
Bit for Torx screws	<b>KL25073TX30</b>	TX 30	73	30	2	1
Bit for Torx screws	<b>KL25073TX40</b>	TX 40	73	40	2	1



### ■ Screwdriver bit

**Suitable for:**

- Plus/minus screws Z 1 + Z 2

**Characteristics**

- Shank 1/4" (6.3) DIN3126

Item	Part No.	Dimensions	Blade length mm	Weight g	Number Parts	Packing unit/ pcs
Bit for plus/minus screws	<b>KL23073PM1</b>	Z 1	73	20	2	1
Bit for plus/minus screws	<b>KL23073PM2</b>	Z 2	73	30	2	1

■ **Magnetic holder for screwdriver bits**

**Characteristics**

- Shank 1/4" (6.3) DIN3126
- Strong magnet



Item	Part No.	Dimensions mm	Weight g	Packing unit/pcs
Magnetic holder	<b>KL290</b>	58	32	1

■ **Mechanical bit holder**

**Characteristics**

- Shank 1/4" (6.3) DIN3126
- With quick-change chuck



Item	Part No.	Dimensions mm	Weight g	Packing unit/pcs
Mechanical bit holder	<b>KL291</b>	52	30	1

■ **Adapter 1/4"**

- Shank E 6.3 and 1/4" socket wrench

**Suitable for:**

- Drive for socket wrenches

**Characteristics**

- Shank 1/4" (6.3)



Item	Part No.	Dimensions mm	Weight g	Packing unit/pcs
Adapter 1/4"	<b>KL295</b>	50	15	1

■ **Adapter 3/8"**


- Shank E 6.3 and 3/8" socket wrench

**Suitable for:**

- Drive for socket wrenches

**Characteristics**

- Shank 1/4" (6.3), shank 3/8" 10



Item	Part No.	Dimensions mm	Weight g	Packing unit/pcs
Adapter 3/8"	<b>KL296</b>	50	22	1